

\subseteq Urba <u>∝</u> ⊢

SIZES_ S (42.5cm), M (46cm), L (49cm)	COLOR(S)_ Steel grey with night black	The state of the s
SIZES_	COLOR(S)_	

Shimano EP600 center-motor, 250W rated power, 85Nm of torque, 25km/h maximum assist Steps and internal battery compatible

630Wh integrated Lithium Ion battery, approved for Shimano Service Program, with Smart 5.6-4A charger BATTERY

Shimano SC-E5003, left hand mounted, with LCD display DISPLAY

SR Suntour XCM34, 34mm stanchions, Lockout, Coil damping, 1.1/8"-1.5" tapered alloy steerer, travel FORK

Samox for Shimano Steps, 38T chainring with ring guard CRANKSET

Wellgo, alloy body, ball bearings Shimano, integrated in motor PEDALS BOTTOM BRACKET_

Microshift XLE, 10 speed, 11-42T Microshift XLE, 10 speed SHIFTERS

Microshift XLE, 10 speed

REAR DERAILLEUR_

Formula CL-811 front hub, Formula CL-3248 rear hub, Boost hubs spacing, WTB STI27 29" multichamber alloy rims 32H KMC e10Turbo, with Quick-Link CHAIN WHEELSET

Pirelli Angel XT Urban, 57x622, Pro Compound Urban, 60 TPI + 5mm nylon wire bead, puncture protection, reflective stripe TIRES

BRAKESET_ 2 finger hydraulic disc brake lever

Acros, AZX-581, 1.5" headset, angular contact bearings, integrated cable routing BRAKELEVERS_ NUTT Y-2, 2 finger lever HEADSET

3D Forged alloy City-Trekking stem, SP-Connect mount, 31.8mm clamp, integrated cable routing E-MTB reis bar, 6066 alloy, 4mm rise, sweep: 7 degree back, 31.8mm clamp HANDLEBAR_ STEM

E-MTB gel grips with padding and BESV clamp

Promax SP-726, 31.6mm diameter Selle Italia S5 Superflow SEATPOST Alloy extruded fenders, front & rear 3/4 length, stainless steel hardware FENDERS

Lezyne eBike Mini E65, 6-12v, 65 lux, with reflector HEADLIGHT

Herrmans H-Cargo, 6-12v, with reflector TAILLIGHT_

ACCESSORIES_ Adjustable kickstand

Tubular aluminium carrier, with Snap-IT platform and spring clamp, H-Cargo rear light mount REAR CARRIER_

E - S Y S T E M

Shimano EP600 motor with ong lasting Darfon 630Wh Powerful and pattery.

SAFETY

Powerful lights from ou safe when riding.

BRAKES

Hydraulic disc brake with

Steel grey with night black	9	100
Hard-tail BESV TRX Series alloy frame, Shimano Steps and internal battery compatible	SPEED C	SUSPENSION
Shimano EP600 center-motor, 250W rated power, 85Nm of torque, 25km/h maximum assist		IKAVEL
630Wh integrated Lithium Ion battery, approved for Shimano Service Program, with Smart 5.6-4A charger		
Shimano SC-E5003, left hand mounted, with LCD display	ω ()	430
SR Suntour XCM34, 34mm stanchions, Lockout, Coil damping, 11/8"-1.5" tapered alloy steerer, travel 100mm	TORQUE	BATTERY

Samox for Shimano Steps, 38T chainring with ring guard

CRANKSET

BOTTOM BRACKET_

FORK

Wellgo, alloy body, ball bearings

PEDALS

Microshift XLE, 10 speed Microshift XLE, 10 speed

REAR DERAILLEUR_

Shimano, integrated in motor

Microshift XLE, 10 speed, 11-42T KMC e10Turbo, with Quick-Link

CHAIN

XS (43cm), S (47cm), M (52cm), L (56cm)

FRAME DRIVE UNIT_ BATTERY DISPLAY

E - S Y S T E M

Shimano EP600 motor with long lasting Darfon 630Wh Powerful and

TIRES

Pirelli Angel XT Urban, 57x622, Pro Compound Urban, 60 TPI + 5mm nylon wire bead, puncture protection, Formula CL-811 front hub, Formula CL-3248 rear hub, Boost hubs spacing, WTB STi27 29" multichamber

> TIRES BRAKESET BRAKE LEVERS_ HEADSET HANDLEBAR

Hydraulic disc brake, 2-piston, 180mm front and rear rotors

2 finger hydraulic disc brake lever

Perfect traction on and off road thanks to Pirelli Angel XT tyres.

FRAMES

3D Forged alloy City-Trekking stem, SP-Connect mount, 31.8mm clamp, integrated cable routing

E-MTB gel grips with padding and BESV clamp

Acros, AZX-581, 1.5" headset, angular contact bearings, integrated cable routing

E-MTB reis bar, 6066 alloy, 4mm rise, sweep: 7 degree back, 31.8mm clamp

Tubular aluminium carrier, with Snap-IT platform and spring clamp, H-Cargo rear light mount

Alloy extruded fenders, front & rear 3/4 length, stainless steel hardware

Promax SP-726, 31.6mm diameter

Selle Italia Max S5 Superflow

SADDLE SEATPOST

STEM

Lezyne eBike Mini E65, 6-12v, 65 lux, with reflector

HEADLIGHT

FENDERS

Herrmans H-Cargo, 6-12v, with reflector

Adjustable kickstand

REAR CARRIER_ ACCESSORIES_

is designed to be robust and comfortable at the same time.

N N

3

□